



Astrolabe

LIFE AND MOBILITY

Box Components

Metaphyseal Full Set

Box Components Kit


09.50.03.00136

Component Trays & Screw Box


09.50.06.00157

09.50.06.00158


09.50.08.00105










Metaphyseal Full Set 3,5 / 4,5





Metaphyseal Full Set




	N#	REF	DESC	QTY
	1	09.07.05.15117	Shaft Screwdriver, Torx-15, 110mm, AO Coupling, Barrel Ø5.0mm, Blue-Red Code	2
	2	09.05.00.27000	Drill Guide, Ø2.7/Ø2.0mm, Universal	1
	3	09.05.00.35000	Drill Guide, Ø3.5/Ø2.5mm, Universal	1
	4	09.05.02.65320	Drill Guide, Ø6.5/Ø3.2mm, Double	1
	5	09.05.00.45000	Drill Guide, Ø4.5/Ø3.2mm, Universal	1
	6	09.07.05.25170	Shaft Screwdriver, Torx-25, 170mm, AO Coupling, Barrel Ø7.0mm	2




N#	REF	DESC	QTY
	26.12.01.00006	Special Locking Plate, Ti, Metaphyseal, 06 Holes - Small Fragments	2
	26.12.01.00007	Special Locking Plate, Ti, Metaphyseal, 07 Holes - Small Fragments	1
	26.12.01.00008	Special Locking Plate, Ti, Metaphyseal, 08 Holes - Small Fragments	2
	26.12.01.00009	Special Locking Plate, Ti, Metaphyseal, 09 Holes - Small Fragments	1
 7	26.12.01.00010	Special Locking Plate, Ti, Metaphyseal, 10 Holes - Small Fragments	2
	26.12.01.00011	Special Locking Plate, Ti, Metaphyseal, 11 Holes - Small Fragments	1
	26.12.01.00012	Special Locking Plate, Ti, Metaphyseal, 12 Holes - Small Fragments	2
	26.12.01.00014	Special Locking Plate, Ti, Metaphyseal, 14 Holes - Small Fragments	1
	26.12.01.00016	Special Locking Plate, Ti, Metaphyseal, 16 Holes - Small Fragments	1
	26.12.01.00018	Special Locking Plate, Ti, Metaphyseal, 18 Holes - Small Fragments	1
	26.12.02.00008	Special Locking Plate, Ti, Metaphyseal, 08 Holes - Large Fragments	1
	26.12.02.00009	Special Locking Plate, Ti, Metaphyseal, 09 Holes - Large Fragments	1
	26.12.02.00010	Special Locking Plate, Ti, Metaphyseal, 10 Holes - Large Fragments	1
	26.12.02.00011	Special Locking Plate, Ti, Metaphyseal, 11 Holes - Large Fragments	1
 8	26.12.02.00012	Special Locking Plate, Ti, Metaphyseal, 12 Holes - Large Fragments	1
	26.12.02.00013	Special Locking Plate, Ti, Metaphyseal, 13 Holes - Large Fragments	1
	26.12.02.00014	Special Locking Plate, Ti, Metaphyseal, 14 Holes - Large Fragments	1
	26.12.02.00016	Special Locking Plate, Ti, Metaphyseal, 16 Holes - Large Fragments	1
	26.12.02.00018	Special Locking Plate, Ti, Metaphyseal, 18 Holes - Large Fragments	1
	26.12.02.00020	Special Locking Plate, Ti, Metaphyseal, 20 Holes - Large Fragments	1

Metaphyseal Full Set







N#	REF	DESC	QTY
9	15.04.01.35010	Cortical Screw, Ti, Ø3,5 x 10mm Torx	4
	15.04.01.35012	Cortical Screw, Ti, Ø3,5 x 12mm Torx	4
	15.04.01.35014	Cortical Screw, Ti, Ø3,5 x 14mm Torx	4
	15.04.01.35016	Cortical Screw, Ti, Ø3,5 x 16mm Torx	4
	15.04.01.35018	Cortical Screw, Ti, Ø3,5 x 18mm Torx	4
	15.04.01.35020	Cortical Screw, Ti, Ø3,5 x 20mm Torx	4
	15.04.01.35022	Cortical Screw, Ti, Ø3,5 x 22mm Torx	4
	15.04.01.35024	Cortical Screw, Ti, Ø3,5 x 24mm Torx	4
	15.04.01.35026	Cortical Screw, Ti, Ø3,5 x 26mm Torx	4
	15.04.01.35028	Cortical Screw, Ti, Ø3,5 x 28mm Torx	4
	15.04.01.35030	Cortical Screw, Ti, Ø3,5 x 30mm Torx	4
	15.04.01.35032	Cortical Screw, Ti, Ø3,5 x 32mm Torx	4
	15.04.01.35034	Cortical Screw, Ti, Ø3,5 x 34mm Torx	4
	15.04.01.35036	Cortical Screw, Ti, Ø3,5 x 36mm Torx	4
	15.04.01.35038	Cortical Screw, Ti, Ø3,5 x 38mm Torx	4
	15.04.01.35040	Cortical Screw, Ti, Ø3,5 x 40mm Torx	4
	15.04.01.35042	Cortical Screw, Ti, Ø3,5 x 42mm Torx	4
	15.04.01.35045	Cortical Screw, Ti, Ø3,5 x 45mm Torx	4
	15.04.01.35050	Cortical Screw, Ti, Ø3,5 x 50mm Torx	4
15.04.01.35055	Cortical Screw, Ti, Ø3,5 x 55mm Torx	4	
15.04.01.35060	Cortical Screw, Ti, Ø3,5 x 60mm Torx	4	
10	15.14.01.35010	Locking Screw, Ti, Ø3,5 x 10mm Torx	4
	15.14.01.35012	Locking Screw, Ti, Ø3,5 x 12mm Torx	4
	15.14.01.35014	Locking Screw, Ti, Ø3,5 x 14mm Torx	4
	15.14.01.35016	Locking Screw, Ti, Ø3,5 x 16mm Torx	4
	15.14.01.35018	Locking Screw, Ti, Ø3,5 x 18mm Torx	4
	15.14.01.35020	Locking Screw, Ti, Ø3,5 x 20mm Torx	4
	15.14.01.35022	Locking Screw, Ti, Ø3,5 x 22mm Torx	4
	15.14.01.35024	Locking Screw, Ti, Ø3,5 x 24mm Torx	4
	15.14.01.35026	Locking Screw, Ti, Ø3,5 x 26mm Torx	4
	15.14.01.35028	Locking Screw, Ti, Ø3,5 x 28mm Torx	4
	15.14.01.35030	Locking Screw, Ti, Ø3,5 x 30mm Torx	4
	15.14.01.35034	Locking Screw, Ti, Ø3,5 x 34mm Torx	4
	15.14.01.35038	Locking Screw, Ti, Ø3,5 x 38mm Torx	4
	15.14.01.35040	Locking Screw, Ti, Ø3,5 x 40mm Torx	4
	15.14.01.35042	Locking Screw, Ti, Ø3,5 x 42mm Torx	4
	15.14.01.35045	Locking Screw, Ti, Ø3,5 x 45mm Torx	4
15.14.01.35050	Locking Screw, Ti, Ø3,5 x 50mm Torx	4	
15.14.01.35055	Locking Screw, Ti, Ø3,5 x 55mm Torx	4	
15.14.01.35060	Locking Screw, Ti, Ø3,5 x 60mm Torx	4	
11	15.08.01.40010	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 10mm Torx	2
	15.08.01.40012	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 12mm Torx	2
	15.08.01.40014	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 14mm Torx	2
	15.08.01.40016	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 16mm Torx	2
	15.08.01.40018	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 18mm Torx	2
	15.08.01.40020	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 20mm Torx	2
	15.08.01.40022	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 22mm Torx	2
	15.08.01.40024	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 24mm Torx	2
15.08.01.40026	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 26mm Torx	2	















N#	REF	DESC	QTY
11	15.08.01.40028	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 28mm Torx	2
	15.08.01.40030	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 30mm Torx	2
	15.08.01.40032	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 32mm Torx	2
	15.08.01.40034	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 34mm Torx	2
	15.08.01.40036	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 36mm Torx	2
	15.08.01.40038	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 38mm Torx	2
	15.08.01.40040	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 40mm Torx	2
	15.08.01.40045	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 45mm Torx	2
	15.08.01.40050	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 50mm Torx	2
	15.08.01.40055	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 55mm Torx	2
15.08.01.40060	Cancellous Screw, Fully Threaded, Ti, Ø4,0 x 60mm Torx	2	
12	15.04.01.45010	Cortical Screw, Ti, Ø4,5 x 10mm Torx	4
	15.04.01.45012	Cortical Screw, Ti, Ø4,5 x 12mm Torx	4
	15.04.01.45014	Cortical Screw, Ti, Ø4,5 x 14mm Torx	4
	15.04.01.45016	Cortical Screw, Ti, Ø4,5 x 16mm Torx	4
	15.04.01.45018	Cortical Screw, Ti, Ø4,5 x 18mm Torx	4
	15.04.01.45020	Cortical Screw, Ti, Ø4,5 x 20mm Torx	4
	15.04.01.45022	Cortical Screw, Ti, Ø4,5 x 22mm Torx	4
	15.04.01.45024	Cortical Screw, Ti, Ø4,5 x 24mm Torx	4
	15.04.01.45026	Cortical Screw, Ti, Ø4,5 x 26mm Torx	4
	15.04.01.45028	Cortical Screw, Ti, Ø4,5 x 28mm Torx	4
	15.04.01.45030	Cortical Screw, Ti, Ø4,5 x 30mm Torx	4
	15.04.01.45032	Cortical Screw, Ti, Ø4,5 x 32mm Torx	4
	15.04.01.45034	Cortical Screw, Ti, Ø4,5 x 34mm Torx	4
	15.04.01.45036	Cortical Screw, Ti, Ø4,5 x 36mm Torx	4
	15.04.01.45038	Cortical Screw, Ti, Ø4,5 x 38mm Torx	4
	15.04.01.45040	Cortical Screw, Ti, Ø4,5 x 40mm Torx	4
13	15.04.01.45042	Cortical Screw, Ti, Ø4,5 x 42mm Torx	4
	15.04.01.45045	Cortical Screw, Ti, Ø4,5 x 45mm Torx	4
	15.04.01.45050	Cortical Screw, Ti, Ø4,5 x 50mm Torx	4
	15.04.01.45055	Cortical Screw, Ti, Ø4,5 x 55mm Torx	4
	15.04.01.45060	Cortical Screw, Ti, Ø4,5 x 60mm Torx	4
	15.14.01.50014	Locking Screw, Ti, Ø5,0 x 14mm Torx	4
	15.14.01.50016	Locking Screw, Ti, Ø5,0 x 16mm Torx	4
	15.14.01.50018	Locking Screw, Ti, Ø5,0 x 18mm Torx	4
	15.14.01.50020	Locking Screw, Ti, Ø5,0 x 20mm Torx	4
	15.14.01.50022	Locking Screw, Ti, Ø5,0 x 22mm Torx	4
	15.14.01.50024	Locking Screw, Ti, Ø5,0 x 24mm Torx	4
	15.14.01.50026	Locking Screw, Ti, Ø5,0 x 26mm Torx	4
	15.14.01.50028	Locking Screw, Ti, Ø5,0 x 28mm Torx	4
	15.14.01.50030	Locking Screw, Ti, Ø5,0 x 30mm Torx	4
	15.14.01.50032	Locking Screw, Ti, Ø5,0 x 32mm Torx	4
	15.14.01.50034	Locking Screw, Ti, Ø5,0 x 34mm Torx	4
15.14.01.50036	Locking Screw, Ti, Ø5,0 x 36mm Torx	4	
15.14.01.50038	Locking Screw, Ti, Ø5,0 x 38mm Torx	4	
15.14.01.50040	Locking Screw, Ti, Ø5,0 x 40mm Torx	4	
15.14.01.50042	Locking Screw, Ti, Ø5,0 x 42mm Torx	4	
15.14.01.50045	Locking Screw, Ti, Ø5,0 x 45mm Torx	4	
15.14.01.50050	Locking Screw, Ti, Ø5,0 x 50mm Torx	4	
15.14.01.50055	Locking Screw, Ti, Ø5,0 x 55mm Torx	4	
15.14.01.50060	Locking Screw, Ti, Ø5,0 x 60mm Torx	4	

Metaphyseal Full Set




	N#	REF	DESC	QTY
	14	09.08.01.00120	Depth Gauge, 120mm	1
	15	09.08.01.00060	Depth Gauge, 60mm	1
	16	09.06.04.27350	Holding Sleeve, Ø2.7/3.5mm	1
	17	09.02.01.45000	Countersink, Ø4.5 - 6.5mm, AO Coupling	1
	18	09.02.01.35000	Countersink, Ø3.5 - 4.0mm, AO Coupling	1
	19	09.03.02.65000	Tap, Cancellous, Ø6.5 x 2.75mm, AO Coupling	1
	20	09.03.01.45000	Tap, Cortex, Ø4.5 x 1.75mm, AO Coupling	1
	21	09.03.01.35000	Tap, Cortex, Ø3.5 x 1.25mm, AO Coupling	1
	22	09.03.02.40000	Tap, Cancellous, Ø4.0 x 1.75mm, AO Coupling	1
	23	09.08.02.20090	Gauge 90mm, Direct Measuring, for Wire 230mm, Ø up to 2.0mm	1
	24	09.01.01.20125	Drill Bit, Ø2.0 x 125mm, twist length 30 mm, AO Coupling	2



	N#	REF	DESC	QTY
	25	09.08.02.16060	Gauge 60mm, Direct Measuring, for Wire 150mm, Ø up to 1.6mm	1
	26	09.01.01.45195	Drill Bit, Ø4.5 x 195mm, twist length 50mm, AO Coupling	2
	27	09.01.14.43195	Drill Bit, Ø4.3 x 195mm, twist length 50mm, AO Coupling, Green Code	2
	28	09.01.14.32195	Drill Bit, Ø3.2 x 195mm, twist length 50mm, AO Coupling, Yellow Code	2
	29	09.01.01.35165	Drill Bit, Ø3.5 x 165mm, twist length 40mm, AO Coupling (Shaft Screw)	2
	30	09.01.14.28165	Drill Bit, Ø2.8 x 165mm, twist length 40mm, AO Coupling, Red Code	2
	31	09.01.01.25165	Drill Bit, Ø2.5 x 165mm, twist length 40mm, AO Coupling	2
	32	09.10.04.01145	Reduction Forceps, Serrated Jaw, Ratchet, 145mm	2
	33	09.05.05.28000	Drill Guide, Ø2.8mm, Threaded	2
	34	09.05.05.32000	Drill Guide, Ø3.2mm, Threaded	2
	35	09.05.05.43000	Drill Guide, Ø4.3mm, Threaded	2

Metaphyseal Full Set



N#	REF	DESC	QTY
----	-----	------	-----

	09.50.10.00230	Dispenser for K-Wire 230mm	1
--	----------------	----------------------------	---



36

	17.02.01.20230	Kirschner Wire, SS, Trocar/Round, Ø2.0 x 230mm	10
--	----------------	--	----



37

	09.50.10.00150	Dispenser for K-Wire 150mm	1
--	----------------	----------------------------	---

	17.02.03.16150	Kirschner Wire, SS, Threaded Tip, Ø1.6 x 150mm	10
--	----------------	--	----








38

	09.04.04.15020	Handle, Cannulated, AO Coupling, 150mm, Yellow	1
--	----------------	--	---

Additional Components

REF	Desc
09.18.01.00015	Torque Limiting Attachment, 1.5 Nm, AO
09.18.01.00040	Torque Limiting Attachment, 4.0 Nm, AO

N#	REF	DESC	QTY	
	39	09.04.04.13510	Handle, Cannulated, AO Coupling, 135mm, Blue	1
	40	09.17.01.06000	Periosteal Elevator, 6mm width, Curved Blade, Round Edges	1
	41	09.13.00.00045	Bender, for 4.5mm System Plates	2
	42	09.13.00.12735	Bender, for 2.7/3.5mm System Plates, Left	1
	43	09.13.00.22735	Bender, for 2.7/3.5mm System Plates, Right	1



AST.BOX.044
REV.01
02/2026